

WALL RIBBON

SLAT WALLS & WALL PANELS IN SCANDINAVIAN DESIGN
FOR BOTH HOMES AND OFFICES





SWEDISH MADE ACOUSTIC PANEL

An acoustic panel is a sound absorber used to create a better sound environment. Historically, it has mainly been used to dampen sound and noise in sports halls and other public environments. In recent years, it has developed to also become an interior detail in more private environments. Our sound-absorbing slatted walls are available in different types of wood and color shades so that you can easily find a solution that suits both home and office environments.



With us, you will find ribbed panels with the sound-absorbing acoustic felt, Recosilent. Our acoustic panel is Swedish-made in Sweden's largest veneer factory, Wallsystems in Tranås.

We are a Swedish company with value-driving factors such as Scandinavian acoustic design, greater flexibility and higher quality. Based on these, we create favorable sound landscapes for different types of environments.

With broad knowledge and long experience, we develop and manufacture products in our own factories in Vittaryd and Tranås. We are the largest in Sweden in wood veneer and through an ongoing collaboration with several prominent designers, we are always at the forefront when it comes to acoustic design.

The ribs are mounted on our high-quality RecoSilent felt, which is made from 100% recycled plastic and provides pleasant acoustics in the room.

Ribbon-Wood	6
Ribbon-Design	10
Ribbon-Barcode	14
Ribbon-Color	18
WS-Wood	22
WS-Design	26
Accessories	30





Ribbon-Wood

Surface layer	0.6 mm FSC certified veneer.
Surface treatment	Stained or untreated.
Sheet material	12 mm standard or solid black MDF.
Acoustic blanket	RecoSilent (RS), 9 mm recycled PET. Black or light gray.
Thickness	22 mm.
Sizes	600 x 2400 mm or 600 x 2960 mm. Can be cut for surcharge.
Weight	11 kg / 13 kg.
Mounting	Screw (15pcs / panel) or glued (0.5 / panel) easily in place.
Manufacturing	Tranås and Vittaryd.

Assortment



Classic Oak,
RS black



Classic Oak,
RS grey



Classic Ash,
RS black



Classic Ash,
RS grey



Rustic Natural Oak,
RS black



Walnut,
RS black



Rustic Antique Oak,
RS black



Rustic Grey Oak,
RS black



Rustic Smoked Oak,
RS black



Black Diamond Ash,
RS black



Diamond Oak,
RS black



Diamond Oak,
RS grey



Diamond Oak,
RS White



Diamond Walnut,
RS black



Diamond Ash,
RS black



Diamond Ash,
RS grey



Diamond Ash,
RS White





Ribbon-Design

Surface layer	High pressure laminate.
Sheet material	12 mm through-dyed MDF in black and light gray.
Acoustic blanket	RecoSilent 9 mm recycled PET.
Thickness	22 mm.
Sizes	600 x 2400 mm. Can be cut for surcharge.
Weight	11kg.
Mounting	Screw (15pcs / panel) or glued (0.5pcs / panel) easily in place.
Manufacturing	Tranås and Vittaryd.

Assortment



Alicante,
RS black



Corten,
RS black



Saturno,
RS black



Saturno,
RS grey



Black Slate,
RS black



Zement,
RS black



Zement,
RS grey



RECEPTION



Ribbon-Barcode

Surface layer	0.6 mm FSC certified veneer. Surface treatment stained or untreated.
Sheet material	12 mm standard or solid black MDF.
Acoustic blanket	RecoSilent, 9 mm recycled PET. Black or light gray.
Thickness	22 mm.
Sizes	600 x 2400 mm or 600 x 2960 mm. Can be cut for surcharge.
Weight	11 kg / 13 kg.
Mounting	Screw (15pcs / panel) or glued (0.5pcs / panel) easily in place.
Manufacturing	Tranås and Vittaryd.

Assortment



Classic Oak Barcode,
RS black



Classic Oak Barcode,
RS grey



Classic Ash Barcode,
RS black



Classic Ash Barcode,
RS grey



Rustic Natural Oak
Barcode, RS black



Walnut Barcode,
RS black



Rustic Smoked Oak
Barcode, RS black




Black Diamond Ash
Barcode, RS black




Diamond Oak Barcode,
RS black



Diamond Oak Barcode,
RS grey




Diamond Oak Barcode,
RS White



Diamond Ash Barcode,
RS black



Diamond Ash Barcode,
RS grey



Diamond Ash Barcode,
RS White



Diamond Walnut
Barcode, RS black





Ribbon-Color

Surface layer	0.6 mm FSC certified veneer. Surface treatment . Varnished, stained and untreated.
Sheet material	12 mm standard or solid black MDF.
Acoustic blanket	RecoSilent, 9 mm recycled PET. Black or light gray.
Thickness	22 mm.
Sizes	600 x 2400 mm or 600 x 2960 mm. Can be cut for surcharge.
Weight	11 kg / 13 kg.
Mounting	Screw (15pcs / panel) or glued (0.5pcs / panel) easily in place.
Manufacturing	Tranås and Vittaryd.

Assortment



Midnight Black Glossy,
RS Black



Midnight Black Matt,
RS Black



White Aspen Glossy,
RS Grey



White Aspen Matt,
RS Grey



White Aspen Glossy,
RS White



White Aspen Matt,
RS White



The distinctive rounded shape of Ribbon-Color provides a pleasing and comfortable aesthetic. Enhance the feel by choosing a matte or glossy finish on your ribbons.





WS-Wood

Surface layer	High pressure laminate.
Sheet material	12 mm through-dyed MDF in black and light gray.
Acoustic blanket	RecoSilent 9 mm recycled PET.
Thickness	22 mm.
Sizes	600 x 2400 mm or 600 x 2960 mm. Can be cut for surcharge.
Weight	15 kg / 19 kg
Mounting	Screw (15pcs / panel) or glued (0.5pcs / panel) easily in place.
Manufacturing	Tranås and Vittaryd.

Assortment



Diamond Oak



Diamond Ash



Diamond Walnut



Diamond Rustic Natural Oak



Black Diamond Ash



Rustic Grey Oak



Rustic Antique Oak



Rustic Smoked Oak





WS-Design

Surface layer	High pressure laminate.
Sheet material	12 mm through-dyed MDF in black and light gray.
Acoustic blanket	RecoSilent 9 mm recycled PET.
Thickness	22 mm.
Sizes	600 x 2400 mm. Can be cut for surcharge.
Weight	15 kg / 19 kg
Mounting	Screw (15pcs / panel) or glued (0.5pcs / panel) easily in place.
Manufacturing	Tranås and Vittaryd.

Assortment



Corten



Zement



Alicante



Black Slate



Saturno



Accessories


End slat **Ribbon-Wood**




End slat Ribbon-**Diamond**



End slat **Ribbon-Design**



End slat Ribbon-**Color**



Felt strip



LED - Light



Screw kit, 15 pcs



Black



Grey




White




Mounting glue 290 ML

Panel guide


Ribbon-Wood




Cut felt with end strip



End strip with splicing strip




Pattern Image - Ribbon-Barcode




End list - Ribbon-Barcode




Felt strip - Ribbon-Barcode



End list - Color



Felt strip - Color



Accessories

End slat **WS-Wood**



End slat **WS-Design**



Mounting glue 290 ML



Screw kit



Joint strips



Start-profile




Joint-profile



Space-strip

Panel guide

Standard panel sizes




600 x 2960 mm



600 x 2400 mm

End slat WS-Panels





OUR ACOUSTIC PANELS ARE EASY TO INSTALL

Our sound-absorbing panels with ribs are easy to install, and we also offer all the accessories that are necessary for a successful installation. For those of you who are unsure of how one of our panels will match your existing interior, we also offer the possibility to order product samples to make your final decision easier.

Our goal is that everyone, regardless of interior style, should be able to find an acoustic panel that matches the pre-existing interior design naturally. To achieve this, we have constructed our panels according to a stripped-down minimalistic design and used natural wooden materials that will fit into a variety of interiors.



HIGH-QUALITY, DURABLE, AND MAINTENANCE-FREE SLAT/WALL PANELS

Our exclusive slat/wall panels have wood veneers with a natural and unique wood grain, which means there is no repeated pattern on the wall they are mounted on. The wood grain is enhanced by applying the right amount of varnish to the surface. The veneering technique we use is designed to hide the joins between the panels as well as possible.

Our slat/wall panels are available in different types of wood, colours and finishes. We have panels inspired by rugged Corten steel and marble, along with wall panels with classic wood veneers like oak, walnut and ash. Both light and dark.

Ribbon-Wood uses only wood for veneers from sustainably managed forests in accordance with the FSC's guidelines. The product meets Möbelfakta's requirements for the environment and responsible supply chains.



WALLRIBBON

CONTACT US

E-mail: info@wallribbon.com

Phone: +46 (0)44-454 01

Phone hours: Mon-Thu 08:00-16:00
Fri: 08:00-12:00
Sat-Sun: Close

Org. Nr: 556120-7837

Sture Steens Väg 9, 341 55 Vittaryd

